



Stamping • Laser • Fabrication • Machining • Tool & Die

Muthig Industries, Inc. Equipment Listing

STAMPING DEPARTMENT

- 22 ton Federal bed size: 10.00" X 18.00" (Qty. of 1)
- 45 ton Stamtec bed size: 17.30" x 33.40" (Qty. of 1)
- 60 ton L&J bed size: 18.00" x 36.00" (Qty. of 1)
- 60 ton Minster OBI bed size: 21" x 32" (Qty. of 1)
- 80 ton Stamtec bed size: 21.60" x 39.30" (Qty. of 1)
- 160 ton Stamtec bed size: 31.50" x 49.00" (Qty. of 1)
- 220 ton Stamtec bed size: 33.00" x 94.50" (Qty. of 1)
- Acro resistance welder (Qty. of 1)
- Miller spot welder (Qty. of 1)
- Stand-alone drill press (Qty. of 3)
- Automatic bowl feeder auto tapping machine (Qty. of 1)
- Millermatic welders: 350P / 252 / Dynasty 200 / 135 wire welder (Qty. of 4)
- Vibratory and tumble deburring equipment (Qty. of 2)
- Vibe Tech vibratory finishing machine (Qty. of 1)
- Vibe Tech vibratory drying machine (Qty. of 1)

LASER/FORMING DEPARTMENT

- EX3015/45CFR 4500 watt; 60.00" x 120.00" laser/shuttle table (Qty. of 1)
- ML3015LV PLUS II 4500 watt; 60.00" x 120.00" laser/shuttle table (Qty. of 1)
- 193 ton Ermak CNC speed bend press brake (Qty. of 1)
12ft. bed, 6 axis with European tooling
- 60 ton Piranha CNC press brake - 8ft. bed, with American tooling (Qty. of 1)



Stamping • Laser • Fabrication • Machining • Tool & Die

- 60 ton Murata Diamond BB-6020 electric press brake - 6'6" bed, with European tooling (Qty. of 1)

PRODUCTION MACHINING DEPARTMENT

- Doosan HC 400 horizontal machining center with pallet changing table XYZ travels of 22.00 inches and features Renishaw probing system (Qty. of 1)
- Haas VF2 SS vertical machining centers with 4th axis rotary table trunnions / table size of 20.00"x 30.00" and features Renishaw probing system (Qty. of 2)
- Doosan Puma 2600SY sub-spindle lathe with bar feeder Features a live 'Y' axis and live tooling with 3.00" diameter bar feeding capacity thru the spindle / 14.80" chucking capacity (Qty. of 4)

TOOLING DEPARTMENT

- Haas VF2 SS vertical machining centers with 4th axis rotary table trunnions / table size of 20.00"x 30.00" (Qty. of 1)
- Doosan DNM 750 machining center and features Renishaw probing system Table size of 30.00" x 64.00" / 40 taper (Qty. of 1)
- Mitsubishi MV1200-RADVANCE PLUS M800 wire EDM Submerged Cutting Table size of 25.2" x 21.3" / max cutting thickness 8.5" (Qty. of 2)
- Okamoto surface grinder model # ACC12-24D (Qty. of 2)
- Trak CNC tool room lathe (Qty. of 1)
- ACER tool room mill (Qty. of 1)
- Lucifer 82GT-H12 heat treating oven 10" x 12" x 6" capacity (Qty. of 1)
- W.F. Wells 9" horizontal band saw (Qty. of 1)

QUALITY DEPARTMENT

- Dorsey 16H horizontal beam optical comparator (Qty. of 1)
- Faro arm platinum 4ft CMM (Qty. of 1)



Stamping • Laser • Fabrication • Machining • Tool & Die

- Wenzel XO 55 CMM with Open/DMIS software (Qty. of 1)
Table size of 19.68" x 39.37"
- Rockwell tester (Qty. of 1)
- Carl Ziess Handysurf finish tester (Qty. of 1)
- Virtek Laser QC flatbed scanner (Qty. of 1)
- Misc. inspection equipment
- thread gauges / bore gauges

SHIPPING & RECEIVING

- Yellow Jacket orbital stretch-wrapping machine (Qty. of 1)
- Yale Electric Forklift: 5,000 lb. capacity (Qty. of 1)
- Yale Electric Forklift: 4,000 lb. capacity (Qty. of 2)